

EN


Special offer
International

HUPchemie
2023



Construction Glue HUPfix+

- Extrem high initial adhesion
- Bond cable-cranks, distribution-boxes and cables to walls, wood and metal
- No retreating of the to be bonded parts at overhead and vertical places
- Paintable



Art. no. 170206

310 ml

Application HUPfix+:

Gluing of metal, wood and synthetic materials in electrical sectors, building, furniture manufacture, container construction, metal work, machinery, air conditioning, yacht/boat construction, body-work, vessel construction and construction of window and door frames. Suitable in applications where silicones can not be used. An adhesive with a grab and bond strength so good it can be classed as the ultimate performance adhesive. With HUPfix+ it is possible to glue heavy materials like cables, stone, wood, tiles and metals on ceilings and walls, where other common glues fail.

Characteristic:

The materials which needs to be glued, must be clean, free of oil and grease. Apply the **HUPfix+** on one side, place the material to be glued together and press firm. Direct adhesion. Skinning time after 10 till 20 minutes. Curing 3 mm/24 hours. Shelf life: 12 months. Temperature resistance: -40 till +100°C (130°C short-term up to 2-3 hours). Application temperature: +5 till +40°C.

Cartridge gun „Profi“

- for processing silicone and polymer cartridges



Art. no. 170254

for 310 ml cartridges



haupa.com

Germany: HAUPA GmbH & Co. KG, Lange Str. 40, D-42857 Remscheid,
Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, E-mail: sales@haupa.com.
Prices upon request. Errors and technical changes reserved.

HUPsilicon transparent

- Suitable for internal and external expansion grooves
- In accordance to DIN 18545 Part 2
- aging-, weather- and UV-resistant, permanent elastic

Art. no. 170200


310 ml



Silicone HUPsilicon white

Art. no. 170202

310 ml



How to use HUPsilicon:

For grouting indoors and outdoors, window glazing and sealing of joints in wood, plastic and aluminium windows. Corresponds to DIN 18545 Part 2. Very good adhesion on the majority of usual varnishes and paints.

Properties:

Permanently elastic. Aging, weather and UV resistant. Odour neutral. No early crack formation. Good adhesion on worktops. No surface stickiness.

Temperature resistant from -50°C to +150°C

Processing temperature +5°C to +40°C.

Skin formation time approximately 10-15 minutes (at 23°C).

HUPsuperglue

- Super-glue from cyanoacrylate
- For high-strength bonding of metals and plastic combinations
- Low-viscosity

Art. no. 170226

20 g



How to use HUPsuperglue:

The surfaces must be clean and free of oil or grease.

Apply a thin layer of **HUPsuperglue** to one side and join the parts.

haupa

... convincing solutions

Marking Paint HUPmark

- Luminous red/luminous yellow/luminous pink
- High luminosity and opacity
- Work in any position
- Fast-drying, abrasion- and weather-resistant



Art. no. 170140

500 ml



Art. no. 170141

500 ml



Art. no. 170142

500 ml




Application HUPmark:

The area to be sprayed must be dry, clean and grease-free. Bring the can up to room temperature. Before use and after each pause in spraying, shake well until the mixing ball moves freely. After use, spray out upside down.


Properties:

Marking spray for industrial, craft, construction and mining etc. For fast, clean and permanent marking of: Cement, wood, masonry, metal, asphalt, soil, plaster, glass, ceramics etc. For labelling and marking of: Pavements and roads, construction measures, breakthroughs, pipe and cable ducts, free from heavy metals, lead and cadmium, dries quickly and is friction and waterproof.



Anti-Friction-Coating HUPcable

- Easy pulling of cables into hoses
- Extreme friction reduction
- Save up to 50% of time and force



Art. no. 170174

400 ml

Application HUPcable:

Spray the prepared cable. Wait for the propellant gas to evaporate (a few seconds) then pull in the cable.

Properties:

HUPcable simplifies pulling of cable into the protective hose.

Water-based lubricants and slip agents



Art. no. 143344

500 ml

Art. no. 143345

1.000 ml

Application:

This prevents 80% of friction and facilitates cable laying through excellent slippage in every situation. As soon as the water is evaporated, the main part of the lubricant remains und ensures that old cables can easily be pulled out and new ones inserted, for many years and at different temperatures.

haupa

... convincing solutions

Silicone-Spray HUPsil

- Universal lubricant based on silicone
- Water- and temperature-resistant from -30°C up to +200°C
- Antistatic, anti-corrosive and waterproof

Art. no. 170162

400 ml



Application HUPsil:

In order to eliminate creaking, squeaking and running noise of machines, vehicles, chains. As a lubricant, and as anti-aging. To clean, care and protection of metals, rubber and plastic, for retracting of rubber and plastic profiles, etc.

Properties:

HUPsil is a universal silicone spray and lubricant. It is waterproof, weather and temperature-resistant from -30°C to +200°C. It acts antistatic and dust repellent, lubricates and waterproofs all surfaces without being greasy, anti-corrosive and moisture-resistant.

Universal-Lubricant HUP40

- Silicone-free oil based lubricant
- Loosens all kind of mechanical connection due to rust
- Effective against surface moisture and creepage current, lubricate and maintain

Art. no. 170166

400 ml



Application HUP40:

Loosens persistent fittings, nuts, bolts, etc. due to rust and oxidation, removes moisture and condensation on cables and electrical connections and contacts, is based on an ultra-thin film which protects all metal surfaces and prevents further corrosion, keeps moisture from cables and contacts and prevents further accumulation of moisture. Lubricates cars and protects tools, machines, precision instruments, locks, sliding and guiding rails, wheels, bolts, hinges, fittings, etc.

Silicone free! It even melts ice on locks, bolts, hinges, fittings, etc.

Properties:

HUP40 high quality universal spray with 1001 solutions!

Contact spray HUPwetBlock

Art. no. 170180

400 ml


- Protection of all kind of electrical contacts against moisture
- Blocks wet
- Long time elimination of creeping current and oxidation



Application HUPwetBlock:

Due to its highly effective ingredients all types of electrical contacts and connections are protected against moisture and corrosion. Water and moisture is reliably suppressed. The product properties remain even after several months of use indoors and also outdoor and prevent permanent leakage currents and short circuits in: lighting systems, connections and sockets, electrical machinery and equipment, pumps, intercom systems, switches and fittings, connectors and contacts sockets, fuse boxes, cable connections, cable reels, battery terminals, engine electrical, electric, bell systems and much more.

Video 170180



haupa


... convincing solutions

Fast degreaser HUPdegreaser

- Intensive cleaner and degreaser
- Removes dust, dirt, oil and grease
- Residue-free and fast evaporation

Art. no. 170102

500 ml



Application HUPdegreaser:

For cleaning and degreasing of dust, dirt, oil, mechanical parts. For removing wax-stains, fats and resins from high potential switches, air conditioning, antenna insulators, motors, ventilators, switchboards, cables, stubborn dirt on glass and car paint, etc.

Properties:

HUPdegreaser is a quick and intensive degreaser and cleaner for mechanical and electrical equipment. Residue-free and fast evaporating.



Video 170102



Electric-Engine-Cleaner HUPelectroClean

- Cleans relays, wires, coils, contacts and engines
- Removes dust, dirt, grease and coal dust
- Evaporates without residue

Art. no. 170114

500 ml



Application HUPelectroClean:

It is used to remove dust, dirt, oil, grease, lubricants and coal dust to electromechanical contacts, relays, wires, distributors, coils, etc. Can also be used for pre-cleaning for subsequent painting.

Properties:

HUPelectroClean consisting of a mixture of hydrocarbons and cleaning boosters. Cleans spot and streak free and evaporates without residue after cleaning.

Label-Remover HUPlableEx

- Residue-free removal of adhesive residues and labels.
- Removes bitumen and fresh PU foam
- Powerful and gentle on the material

Art. no. 170112

400 ml



Application HUPlableEx:

Residue-free removal of adhesive residues, labels, lubricants, bitumen, fresh PU foam residues and stubborn stains. For cleaning of metal surfaces (even before painting) suitable in many areas of industry, trade and craft.

Properties:

HUPlableEx is powerful, yet gentle on the material, evaporates quickly and leaves no residue.

Compressed Air HUPair

- Removes dust, dirt and other deposits
- For cooling and debugging of overheated parts

Art. no. 170106

400 ml



Application HUPair:

HUPair compressed air for cooling and debugging overheated parts. To remove dust, dirt and other deposits on computers, keyboards, engineering components, office equipment, photocopiers, printers etc.

haupa


... convincing solutions

Industrial Cleaning Wipes

- Grease, paint, oil, tar, ink, silicone, glue and more...
- Suitable for hand cleaning

Art. no. 150601

40 x (17 x 25 cm)



40x



Application:

HAUPA Industrial cleaning wipes are perfect for washing hands as well as cleaning tools and work surfaces. They remove stubborn dirt fast and efficiently such as grease, paint, oil, tar, ink, silicone, glue and much, much more making them the ideal companions for workshops, offices, home or for those on the go. These practical wipes have been impregnated with a solvent-free, industrial hand cleaner, which has been dermatologically tested and is also suitable for sensitive skin. The individually perforated wipes ensure easy extraction. The practical and solid storage container with lock-lid prevents the wipes from drying out.

Contents: 40 wipes, each 17 x 25 cm.

Properties:

Effortlessly removes: Grease, Paint, Oil, Tar, Ink, Silicone, Glue and more...

Smoke-Detector-Test-Spray HUPdetect

- Simulated fire smoke
- About 150 to 200 test operations
- Fast and reliable

Art. no. 170404

200 ml



Application HUPdetect

Test your smoke detectors once a month with this test spray, to exclude technical defect, as well as the contamination of the detector.

Properties:

- directly simulated fire smoke
- enough for about 150-200 test operations
- Fast and reliable