

Specialoffer

International

haupa

Kontakt-Spray

Contact-Spray

HUPWOTPIOC


EN

Construction Glue HUPfix+

- · Extrem high initial adhesion
- Bond cabel-crunks, distriubution-boxes and bables to walls, wood and metal

haupa Montagekleber Construction give HUPfix+

- No retaining of the to be bonded parts at overhead and vertical places
- Paintable



Application HUPFix+:

Gluing of metal, wood and synthetic materials in electrical sectors, building, furniture manufacture, container construction, metal work, machinery, air conditionioning, yacht/boat construction, body-work, vessel construction and construction of window and door frames. Suitable in applications where silicones can not be used. An adhesive with a grab and bond strength so good it can be classed as the ultimate performance adhesive. With HUPfix+ it is possible to glue heavy materials like cables, stone, wood, tiles and metals on ceilings and walls, where other common glues fail.

Characteristic:

The materials which needs to be glued, must be clean, free of oil and grease. Apply the **HUPfix+** on one side, place the material to be glued together and press firm. Direct adhesion. Skinning time after 10 till 20 minutes. Curing 3 mm/24 hours. Shelf life: 12 months. Temperature resistance: -40 till +100°C (130°C short-term up to 2-3 hours). Application temperature: +5 till +40°C.

Art. no. 170254

for 310 ml cartridges

Cartridge gun "Profi"

· for processing silicone and polymer cartridges



haupa.com

HUPsuperglue

- · Super-glue from cyanoacrylate
- · For high-strength bonding of metals and plastic combinations
- Low-viscosity



How to use HUPsuperglue: The surfaces must be clean and free of oil or grease. Apply a thin layer of **HUPsuperglue** to one side and join the parts.



Water-based lubricants and slip agents

1.5%	The day	
1000 1000	Art. no. 1433	44
	500 ml	
1	A REAL PROPERTY	24 E.S. 3
140		125
1000		
	in the second	and hold and
-	Art. no. 1433	45
· E	1.000 ml	
12	1.000 IIII	1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
		4 4
1.265		2 3, 53

Application: This prevents 80% of friction and facilitates cable laying through excellent slippage in every situation. As soon as the water is evaporated, the main part of the lubricant remains und ensures that old cables can easily be pulled out and new ones inserted, for many years and at different temperatures.

Marking Paint HUPmark

- · Luminous red/luminous yellow/luminous pink
- High luminosity and opacity
- · Work in any position
- · Fast-drying, abrasion- and weather-resistant

haupa

Markierungsspray Marking Spray HUPmark Leuchtrot Luminous red

 Hervorragende Leucht- und Deckkraft
 Sprüht in jeder Lage
 Schnelltrocknend, abriebfest und witterungsbeständig

High Luminosity and Opacity
 Work in any Position
 Fast-Drying, Abrasion - and Weather-Reside

Inhalt / content: 500 ml 650 3

Application HUPmark:

The area to by sprayed must be dry, clean and grease-free. Bring the can up to room temperature. Before use and after each pause in spraying, shake well until the mixing ball moves freely. After use, spray out upside down.

Art. no. 170140

Art. no. 170141 500 ml

Art. no. 170142

500 ml

Properties:

Marking spray for industrial, craft, construction and mining etc. For fast, clean and permanent marking of: Cement, wood, masonry, metal, asphalt, soil, plaster, glass, ceramics etc. For labelling and marking of: Pavements and roads, construction measures, breakthroughs, pipe and cable ducts, free from heavy metals, lead and cadmium, dries quickly and is friction and waterproof.



🕈 🖸 🕩 in

Germany: HAUPA GmbH & Co. KG, Lange Str. 40, D-42857 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, E-mail: sales@haupa.com. Prices upon request. Errors and technical changes reserved.

Anti-Friction-Coating HUPcable

- · Easy pulling of cables into hoses
- Extreme friction reduction
- Save up to 50% of time and force



Application HUPcable:

Spray the prepared cable. Wait for the propellant gas to evaporate (a few seconds) then pull in the cable.

Properties:

IUPcable simplifies pulling of cable into the protective hose.



Kabel-Gleitmittel Anti-Friction Coating

HUPcable

- · Leichtes Einziehen von Kabeln
- * Extreme Reduktion der Reibung
- * Spart bis zu 50% Zeit und Kraft
- * Easy Pulling of Cables into Hoses
- Extreme Friction Reduction
- * Save up to 50% of Time and Force

Inhalt / content: 400 ml 520) +



Contact spray HUPwetBlock

- · Protection of all kind of electrical contacts against moisture
- Blocks wet
- · Long time elemination of creeping current and oxidation





Kontakten vor Feuchtigkeit Verdrängt Nässe Verhindert dauerhaft und zuverlässig Kriechströme und Oxidation

Protection of all kind of Electrical Contacts against moisture Blocks Wet Ung Time Elemination of Creeping Current and Oxidation

Malt / content: 400 ml 520 9e

Application HUPwetBlock:

Due to its highly effective ingredients all types of electrical contacts and connections are protected against moisture and corrosion. Water and moisture is reliably suppressed. The product properties remain even after several months of use indoors and also outdoor and prevent permanent leakage currents and short circuits in: lighting systems, connections and sockets, electrical machinery and equipment, pumps, intercom systems, switches and fittings, connectors and contacts sockets, fuse boxes, cable connections, cable reels, battery terminals, engine electrical, electric, bell systems and much more.








🕈 🖸 🕨 in

haupa.com

Smoke-Detector-Test-Spray HUPdetect

- · Simultated fire smoke
- · About 150 to 200 test operations
- · Fast and relaible



Application HUPdetect

Test your smoke detectors once a month with this test spray, to exclude technical defect, as well as the contamination of the

- directly simulated fire smoke
- enough for about 150-200 test operations
 Fast and reliable

haupa

Rauchmelder-Testspray Smoke-Detector-Test-Spray

HUPdetect

* Simuliert direkt den Brandrauch * ca. 150 -200 Testvorgänge * schnell und zuverlässig

* Simultated Fire Smoke * About 150 to 200 Test Operations * Fast and Relaible

Inhalt / content: 200 ml 2703

veu by: Kénistr. 165-169, D-42853 Remschuk, Bayemstr. 39, A-5071 Wais-Slezenhem, Ibérca S. L., c/., Joanot Martorell, 36, FØ Polska Sp.z.o.o, ul. Norwida 11, PL55/0 ABULtd, street Dekabristov 58, 180 0047



... convincing solutions

TELLIDE

Fast degreaser HUPdegreaser

- · Intensive cleaner and degreaser
- · Removes dust, dirt, oil and grease
- · Residue-free and fast evaporation



haupa

Schnellentfetter **Fast Degreaser** HUPdegreaser

* Intensive Schnellentfettung von Oberlächt * Entfernt Staub, Schmutz, Öl und Fette * Rückstandsfreie und schnelle Verdurstni

* Intensive Cleaner and Degreaser * Removes Dust, Dirt and Oil and Grease * Pesidue-Free and Fast Evaporation

Inhalt / content: 500 ml 650 3

Application HUPdegreaser: For cleaning and degreasing of dust, dirt, oil, mechanical parts. For removing wax-stains, fats and resins from high potential swit-ches, air conditioning, antenna insulaters, motors, ventilators, switchboards, cables, stubborn dirt on glass and car paint, etc.

Properties:

HUPdegreaser is a quick and intensive degreaser and cleaner







haupa.com