

HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

PTFE-Spray "HUPptfe" Aerosol 400ml

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Lubricant, lubrifiants and release products

## 1.3. Details of the supplier of the safety data sheet

Company name: HAUPA GmbH & Co.KG
Street: Königstraße 165-169
Place: D-42853 Remscheid

Telephone: +49 (2191) 84 18-0 Telefax: +49 (2191) 84 18 840

e-mail: sales@haupa.com

Contact person: Jochen Husli Telephone: +49 (2191) 84 18-0

e-mail: jochen.husli@haupa.com

Internet: www.haupa.com

Responsible Department: Sicherheitsdatenblätter / Datenmanagement

1.4. Emergency telephone Die Nummer der Gesellschaft ist nur zu Bürozeiten besetzt: +49 (2191) 84

**number:** 18-0(7:00 - 16:30 Uhr)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1

Skin corrosion/irritation: Skin Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Causes skin irritation.

May cause drowsiness or dizziness.

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

## Hazard components for labelling

Naphtha (petroleum), hydrotreated light; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Signal word: Danger

Pictograms:





#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.



HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 2 of 9

### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

## Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

#### 2.3. Other hazards

Do not breathe aerosol.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixture related information

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regul	ation (EC) No. 1272/2008 [0	CLP]		
74-98-6	propane				
	200-827-9	601-003-00-5	01-2119486944-21		
	Flam. Gas 1; H220				
75-28-5	isobutane			25 -< 50 %	
	200-857-2	601-004-00-0	01-2119485395-27		
	Flam. Gas 1; H220	-			
64742-49-0	Naphtha (petroleum), hydrotreate <5% n-hexane	10 -< 25 %			
	921-024-6	649-328-00-1	01-2119475514-35		
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411				
106-97-8	butane	2,5 -< 10 %			
	203-448-7	601-004-00-0	01-2119474691-32		
	Flam. Gas 1; H220				

Full text of H and EUH statements: see section 16.

### **Further Information**

Full text of R-phrases: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

## General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.



HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 3 of 9

#### After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

#### After ingestion

Caution if victim vomits: Risk of aspiration! Medical treatment necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Caution if victim vomits: Risk of aspiration!

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Contaminated fire-fighting water must be collected separately. Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

## 6.4. Reference to other sections

Treat the recovered material as prescribed in the section on waste disposal.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition. - No smoking. Flammable vapours can accumulate in head space of closed systems.

### Advice on protection against fire and explosion

Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

### Further information on handling

Heating causes rise in pressure with risk of bursting.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.



HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 4 of 9

## Further information on storage conditions

Protect against: heat. UV-radiation/sunlight.

### 7.3. Specific end use(s)

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
64742-49-0	Naphtha (petroleum), hydrotreated light; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane					
Consumer DNEL, long-term		oral	systemic	699 mg/kg bw/day		

## 8.2. Exposure controls

## Protective and hygiene measures

Work in well-ventilated zones or use proper respiratory protection. Do not eat, drink, smoke or sneeze at the workplace.

### Eye/face protection

Tightly sealed safety glasses.

### Hand protection

Protect skin by using skin protective cream. Hand protection: NBR (Nitrile rubber). Thickness of glove material: 0,45 mm

penetration time (maximum wearing period): 240 min

## Skin protection

Body protection: not required.

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## **Environmental exposure controls**

No data available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: whitish
Odour: characteristic

Test method

## Changes in the physical state

Lower explosion limits:



#### HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 5 of 9

Upper explosion limits:

Ignition temperature: > 200 °C

Density (at 20 °C): 0,60191 g/cm³

Solvent content: 92.5 %

9.2. Other information

Solid content: No data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Ignition hazard.

## 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors. Carbon dioxide. Carbon monoxide. aldehydes.

#### **Further information**

Danger of bursting container. >50°C

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
64742-49-0	Naphtha (petroleum), hydrotreated light; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane					
	oral	LD50	> 2000 mg/kg	rat		
	dermal	LD50	> 2000 mg/kg	rabbit		
	inhalative (4 h) aerosol	LC50	> 5 mg/l	rat		
106-97-8	butane					
	inhalative (4 h) gas	LC50	658 ppm	Rat	GESTIS	

### Irritation and corrosivity

Causes skin irritation.

### Sensitising effects

Based on available data, the classification criteria are not met.

## STOT-single exposure

May cause drowsiness or dizziness. (Naphtha (petroleum), hydrotreated light; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)



HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 6 of 9

#### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source	
64742-49-0	Naphtha (petroleum), hydrotreated light; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane						
	Acute crustacea toxicity	EC50	1 - 10 mg/l	48 h	daphnia		

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
74-98-6	propane	2,36
75-28-5	isobutane	2,8
106-97-8	butane	2,89

### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Other adverse effects

Harmful to fish.

## **Further information**

Doesn't get into the sewage water as long as the process is carried out according to regulations. hazardous to water (WGK 2)

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Advice on disposal

Dispose of waste according to applicable legislation.

## Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances

Classified as hazardous waste.

## Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; gases in pressure containers (including halons) containing hazardous substances

Classified as hazardous waste.



HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 7 of 9

### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

2

### Contaminated packaging

Dispose of waste according to applicable legislation.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

UN 1950 14.1. UN number: 14.2. UN proper shipping name: **AEROSOLS** 

14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: 2.1



Classification code: 5F

**Special Provisions:** 190 327 344 625

Limited quantity: 1 L Transport category: 2 Tunnel restriction code: D

### Other applicable information (land transport)

## Inland waterways transport (ADN)

14.1. UN number: UN 1950 **AEROSOLS** 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 2 14.4. Packing group:

Hazard label: 2.1



Classification code:

Special Provisions: 190 327 344 625

Limited quantity: 1 I

## Other applicable information (inland waterways transport)

## Marine transport (IMDG)

14.1. UN number: UN 1950 **AEROSOLS** 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 2.1 14.4. Packing group: Hazard label: 2.1





HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

## PTFE-Spray "HUPptfe" Aerosol 400ml

Print date: 23.03.2016 Product code: 170158 Page 8 of 9

Special Provisions: 63, 190, 277, 327, 344, 959

Other applicable information (marine transport)

E<sub>0</sub>

### Air transport (ICAO)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

#### Other applicable information (air transport)

E0 : Y203 150 kg

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

#### Other applicable information

Transport as "limited quantity" according to chapter 3.4 ADR/RID.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

2004/42/EC (VOC): Volatile organic compounds (VOC) content in percent by weight: 92,52

VOC-value (in g/L): 556,9

National regulatory information

Water contaminating class (D): 2 - water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Relevant H and EUH statements (number and full text)

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.

 Revision No: 1,08
 GB - EN
 Revision date: 19.08.2015



HAUPA GmbH & Co.KG

according to Regulation (EC) No 1907/2006

TIFTOT AT CHILDIT & CO.INC						
PTFE-Spray "HUPptfe" Aerosol 400ml						
Print date: 23.03.2016	Product code: 170158	Page 9 of 9				
H225	Highly flammable liquid and vapour.					
H229	Pressurised container: May burst if heated.					
H304	May be fatal if swallowed and enters airways.					
H315	Causes skin irritation.					
H336	May cause drowsiness or dizziness.					
H411	Toxic to aquatic life with long lasting effects.					
H412	Harmful to aquatic life with long lasting effects.					
<b>Further Information</b>						
	based on present level of our knowledge. It does not, however, give assurances of product ablishes no contract legal rights.					

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)