

Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 1 / 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****HUPfastMetal****Article number: 170224****1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Relevant uses**

Adhesive

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** HAUPA GmbH & Co. KG  
 Königstr. 165-169  
 42853 Remscheid  
 Phone +49 2191 84180  
 Fax +49 2191 8418 840  
 Homepage www.haupa.com  
 E-mail sales@haupa.com

**Address enquiries to****Technical information** sales@haupa.com**Safety Data Sheet** sdb@chemiebuero.de**1.4 Emergency telephone number****Advisory body** 08919240**Company** Giftnotruf München**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]**

Skin Irrit. 2: H315 Causes skin irritation.  
 Eye Irrit. 2: H319 Causes serious eye irritation.  
 Skin Sens. 1B: H317 May cause an allergic skin reaction.  
 Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

**2.2 Label elements**

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms****Signal word**

WARNING

**Contains:**

3-Aminopropyltriethoxysilane  
 Mercaptan Polymer

**Hazard statements**

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P280 Wear protective gloves / protective clothing / eye protection / face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice / attention.  
 P337+P313 If eye irritation persists: Get medical advice / attention.  
 P501 Dispose of contents/container in accordance with local/national regulation.

**UFI:**

-

Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 2 / 11

**2.3 Other hazards**

Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	none

**SECTION 3: Composition / Information on ingredients****3.1 Substances**

not applicable

**3.2 Mixtures**

The product is a mixture.

Range [%]	Substance
60 - 70	Mercaptan Polymer CAS: 72244-98-5, EINECS/ELINCS: 701-196-7, Reg-No.: 01-2120118957-46 GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 3: H412
20 - 25	Calcium carbonate CAS: 471-34-1, EINECS/ELINCS: 207-439-9
5 - 10	Benzyl alcohol CAS: 100-51-6, EINECS/ELINCS: 202-859-9, EU-INDEX: 603-057-00-5 GHS/CLP: Acute Tox. 4: H302 H332 - Eye Irrit. 2: H319
5 - 10	2,4,6-Tris(dimethylaminomethyl)phenol CAS: 90-72-2, EINECS/ELINCS: 202-013-9, EU-INDEX: 603-069-00-0 GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315
0.5 - 2	3-Aminopropyltriethoxysilane CAS: 919-30-2, EINECS/ELINCS: 213-048-4, EU-INDEX: 612-108-00-0, Reg-No.: 01-2119480479-24 GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Skin Sens. 1: H317 - Eye Dam. 1: H318

<b>Comment on component parts</b>	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.
-----------------------------------	---

**SECTION 4: First aid measures****4.1 Description of first aid measures**

<b>General information</b>	Change soaked clothing.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice.
<b>Ingestion</b>	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

**4.2 Most important symptoms and effects, both acute and delayed**

No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**Treat symptomatically.  
Forward this sheet to the doctor.

Article number 170224

HAUPA GmbH & Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 3 / 11

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

**Extinguishing media that must not be used** Full water jet

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.

Do not eat, drink, smoke or take drugs at work.  
Wash hands before breaks and after work.  
Use barrier skin cream.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Do not store together with food.  
Do not store together with oxidizing agents.  
Do not store together with acids.  
Keep container in a well-ventilated place.  
Keep container tightly closed.  
Keep in a cool place.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 4 / 11

**SECTION 8: Exposure controls / personal protection****8.1 Control parameters****Ingredients with occupational exposure limits to be monitored (GB)**

Substance
Calcium carbonate
CAS: 471-34-1, EINECS/ELINCS: 207-439-9
Long-term exposure: 10 mg/m <sup>3</sup> , inhalable dust

**DNEL**

Substance
Mercaptan Polymer, CAS: 72244-98-5
Industrial, dermal, Long-term - systemic effects: 2.7 mg/kg bw/d (AF=90).
Industrial, inhalative, Long-term - systemic effects: 22 mg/m <sup>3</sup> (AF=6).
general population, inhalative, Long-term - systemic effects: 6.52 mg/m <sup>3</sup> (AF=10).
general population, oral, Long-term - systemic effects: 1.9 mg/kg bw/d (AF=40).
general population, dermal, Long-term - systemic effects: 1.61 mg/kg bw/d (AF=150).
3-Aminopropyltriethoxysilane, CAS: 919-30-2
Industrial, dermal, Long-term - systemic effects: 8.3 mg/kg bw/d (AF= 6).
Industrial, inhalative, Long-term - systemic effects: 59 mg/m <sup>3</sup> (AF= 6).
general population, dermal, Long-term - systemic effects: 5 mg/kg bw/d (AF= 10).
general population, inhalative, Long-term - systemic effects: 17.4 mg/m <sup>3</sup> (AF= 10).

**PNEC**

Substance
Mercaptan Polymer, CAS: 72244-98-5
soil, 23 µg/kg dw.
sediment (seawater), 32 µg/kg dw.
sediment (freshwater), 322 µg/kg dw.
sewage treatment plants (STP), 10 mg/L (AF=100).
seawater, 7 µg/L (AF=500).
freshwater, 70 µg/L (AF=50).
3-Aminopropyltriethoxysilane, CAS: 919-30-2
soil, 0,05 mg/kg dw.
sediment (seawater), 0,12 mg/kg dw.
sediment (freshwater), 1,2 mg/kg dw.
sewage treatment plants (STP), 13 mg/l (AF=1).
seawater, 0,033 mg/l (AF=10 000).
freshwater, 0,33 mg/l (AF=1000).

Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 5 / 11

**8.2 Exposure controls**

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: 0,7 mm/ Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: 0,7 mm/ butyl rubber, > 120 min (EN 374)
<b>Skin protection</b>	not applicable
<b>Other</b>	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	not applicable
<b>Delimitation and monitoring of the environmental exposition</b>	See SECTION 6+7.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>Form</b>	pasty
<b>Color</b>	grey
<b>Odor</b>	characteristic
<b>Odour threshold</b>	No information available.
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	No information available.
<b>Flash point [°C]</b>	not applicable
<b>Flammability (solid, gas) [°C]</b>	No information available.
<b>Lower explosion limit</b>	No information available.
<b>Upper explosion limit</b>	No information available.
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	No information available.
<b>Density [g/ml]</b>	1,35 - 1,45
<b>Bulk density [kg/m³]</b>	not applicable
<b>Solubility in water</b>	virtually insoluble
<b>Partition coefficient [n-octanol/water]</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Relative vapour density determined in air</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	No information available.
<b>Autoignition temperature [°C]</b>	No information available.
<b>Decomposition temperature [°C]</b>	> 150

**9.2 Other information**

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with amines.

Reactions with acids and strong oxidizing agents.

Reactions with alkalis (lyes).

### 10.4 Conditions to avoid

See SECTION 7.2.

Strong heating.

### 10.5 Incompatible materials

See SECTION 10.3.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 7 / 11

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

Substance
2,4,6-Tris(dimethylaminomethyl)phenol, CAS: 90-72-2
LD50, dermal, Rabbit: 1280 mg/kg (IUCLID).
LD50, oral, Rat: 1916-2455 mg/kg (IUCLID).
Calcium carbonate, CAS: 471-34-1
LD50, oral, Rat: 6450 mg/kg bw (IUCLID).
LC0, inhalative, Rat: 0,0812 mg/L (90 min) (IUCLID).
Mercaptan Polymer, CAS: 72244-98-5
LD50, dermal, Rabbit: > 10 200 mg/kg bw.
LD50, oral, Rat: 2600 mg/kg bw.
LC50, inhalative, Rat: > 0.1 mg/L (Air).
3-Aminopropyltriethoxysilane, CAS: 919-30-2
LD50, dermal, Rabbit: 4290 mg/kg bw.
LD50, oral, Rat (female): 1570 mg/kg bw.
LD50, oral, Rat (male): 2830 mg/kg bw.
LC50, inhalative, Rat (female): 16 ppm/6h (OECD 403).
LC50, inhalative, Rat (male): 5 ppm/6h (OECD 403).
Benzyl alcohol, CAS: 100-51-6
LD50, dermal, Rabbit: 2000 mg/kg.
LD50, oral, Rat: 1230 mg/kg.
LC50, inhalative, Rat: 4,178 mg/l /4h.

<b>Serious eye damage/irritation</b>	Toxicological data of complete product are not available. Irritant Calculation method
<b>Skin corrosion/irritation</b>	Toxicological data of complete product are not available. Irritant Calculation method
<b>Respiratory or skin sensitisation</b>	Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	

Toxicological data of complete product are not available.  
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 8 / 11

**SECTION 12: Ecological information****12.1 Toxicity**

Substance
Mercaptan Polymer, CAS: 72244-98-5
LC50, (96h), Danio rerio: 87 mg/L.
EC50, (48h), Daphnia magna: 12 mg/L.
EC50, (72h), Desmodesmus subspicatus: > 733 mg/L.
NOEC, (21d), Daphnia magna: 3.5 mg/L.
NOEC, (72h), Desmodesmus subspicatus: 388 mg/L.
3-Aminopropyltriethoxysilane, CAS: 919-30-2
LC50, (96h), Brachidanio rerio: > 934 mg/l.
EC50, (72h), Desmodesmus subspicatus: > 1000 mg/l.
EC50, (48h), Daphnia magna: 331 mg/l.
Benzyl alcohol, CAS: 100-51-6
LC50, (96h), Pimephales promelas: 460 mg/l.
EC50, (24h), Daphnia magna: 400 mg/l.
EC0, (96h), Scenedesmus quadricauda (alga): 640 mg/l.
EC10, (16h), Pseudomonas putida: 658 mg/l.

**12.2 Persistence and degradability**

**Behaviour in environment compartments** not determined

**Behaviour in sewage plant** not determined

**Biological degradability**

**12.3 Bioaccumulative potential**

Product has having no bioaccumulation potential.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required or not conducted.

**12.6 Other adverse effects**

Ecotoxicological data are not available.

Do not discharge product unmonitored into the environment.



Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 9 / 11

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product**

Dispose of as hazardous waste.

**Waste no. (recommended)**

080409\*

**Contaminated packaging**

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)**

150110\* packaging containing residues of or contaminated by hazardous substances

**SECTION 14: Transport information****14.1 UN number**

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** 3334

**14.2 UN proper shipping name**

**Transport by land according to ADR/RID** NO DANGEROUS GOODS

**Inland navigation (ADN)** NO DANGEROUS GOODS

**Marine transport in accordance with IMDG** NOT CLASSIFIED AS "DANGEROUS GOODS"

**Air transport in accordance with IATA** Aviation regulated liquid, n.o.s. (Polymercaptan)

- Label

**14.3 Transport hazard class(es)**

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** 9

Article number 170224

HAUPA GmbH &amp; Co. KG

42853 Remscheid

Date printed 18.06.2021, Revision 12.10.2020

Version 06. Supersedes version: 05

Page 10 / 11

**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA III

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No information available.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- VOC (2010/75/CE) not applicable

**15.2 Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****16.1 Hazard statements (SECTION 3)**

H412 Harmful to aquatic life with long lasting effects.  
 H302+H332 Harmful if swallowed or if inhaled.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H318 Causes serious eye damage.  
 H317 May cause an allergic skin reaction.  
 H314 Causes severe skin burns and eye damage.  
 H302 Harmful if swallowed.

**16.2 Abbreviations and acronyms:**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 EL50 = Median effective loading  
 ELINCS = European List of Notified Chemical Substances  
 EmS = Emergency Schedules  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 LL50 = Median lethal loading  
 LQ = Limited Quantities  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@/TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

**16.3 Other information****Customs Tariff**

35061000

**Classification procedure**

Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)  
 Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)  
 Skin Sens. 1B: H317 May cause an allergic skin reaction. (Calculation method)  
 Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

**Modified position**

SECTION 2 been added: Skin Sens. 1B  
 SECTION 2 deleted: Skin Sens. 1  
 SECTION 14 been added: Aviation regulated liquid, n.o.s. (Polymercaptan)  
 SECTION 14 deleted: Triethylene Tetramine, solution  
 SECTION 14 been added: not classified as "Dangerous Goods"  
 SECTION 14 deleted: Triethylene Tetramine, solution  
 SECTION 14 been added: no dangerous goods  
 SECTION 14 deleted: Triethylenetetramine, solution

Copyright: Chemiebüro®