

EN

Special Offer
valid until 31.01.2024

haupa®

HUPworkLight

Torches | Head lamps | Floodlight | LED light strips



haupa.com

Industrial Quality,
Made in Germany

WE'LL BRING LIGHT INTO THE DARK

Work lights by HAUPA

The right workplace lighting is the be-all and end-all on the construction site. It creates more pleasant working conditions, more safety at work and is easy on your eyes.

Our range of work lights includes a variety of flashlights, headlamps, construction lights and LED strip lights. From the compact 1 watt Pen Torch to the 300 watt LED strip light HUPLightStripe25 - we have the right product for every application.



LED „Mini Torch“

- Compact
- Very small and light
- Extremely high lighting performance
- LED 3 Watt CREE XR-E
- 1xAAA battery

LED 3W CREE XR-E		50 Lm	Lifetime 30000 h
Aircraft Grade Aluminium			

Art. no. 130310

TL: 20 x 92,5 mm



LED 3W
CREE XR-E

LED „Pen Torch“

- Illumination range: 50 m
- 50 Lm
- LED 1 Watt CREE
- With clip
- 2xAAA batteries

LED 1W CREE		50 Lm	Lifetime 30000 h
Aircraft Grade Aluminium			

Art. no. 130328

TL: 14 x 143 mm



LED 1W
CREE


LED „Focus Torch“

- Adjustable focus for near and far
- LED 3 Watt CREE XP-E
- 3xAAA batteries

LED 3W CREE XP-E		120 Lm	Lifetime 30000 h
Aircraft Grade Aluminium			

Art. no. 130312

TL: 34,4 x 115 mm



Focus

LED „IP67 Torch“

- IP67, dust-tight, protected against brief submersion (water-tight)
- 1 x switch operation 100 % lighting performance
2 x switch operation 30 % lighting performance
- LED 5 Watt CREE XP-G
- 4xAAA batteries

LED 5W CREE XP-G	Ø 40,5 x 141 mm	250 Lm	Lifetime 30000 h
Aircraft Grade Aluminium	200 m	IP67	4xAAA



Art. no. 130314

TL: 40,5 x 141 mm

LED „RC Torch“

- Rechargeable battery, lithium-ion 2200 mAh 3.7 V
- Integrated charging unit
- 1 x switch operation 100 % lighting performance
2 x switch operation 30 % lighting performance
- Additional battery holder as backup
- Deep discharge protection
- LED 5 Watt CREE XP-G
- Charging cable 230 Volt, charging cable for automobile
- Battery holder (battery operation is an alternative)

LED 5W CREE XP-G	Ø 40,5 x 180 mm	250 Lm	Lifetime 30000 h
Aircraft Grade Aluminium	200 m	IP65	Akku Li-Ion 2200 mAh 3,7 V



**Akku
Li-Ion**
2200 mAh
3,7 V

Art. no. 130316

TL: 40,5 x 180 mm

Holster for LED torches

Suitable for item numbers: 130312, 130314



Art. no. 130322

TL: 30 x 10 x 100 mm



haupa.com

Germany: HAUPA GmbH & Co. KG, Lange Straße 40, D-42857 Remscheid, Phone: +49 2191 8418-0, Fax: +49 2191 8418-840, E-mail: sales@haupa.com.
Prices upon request. Errors and technical changes reserved.

Quite de**lightful**




FOR A GOOD OVERALL VIEW

Work safely thanks to the higher colour rendering index CRI

We all know the problem... Poorly lit work areas - the colours of the individual wires in the cables are hard to differentiate. Now HAUPA has the solution: work lights and compact spots with a higher colour rendering index CRI.

The new lamps have a CRI of 90. In comparison: daylight has a value of 100. This makes colours more natural and much easier to distinguish thanks to the higher brilliance.

The result: improved safety for professionals at work. The colours are easier to recognise and work can be performed much faster.







CRI 90 makes the difference. Conventional work lamps have a CRI of 75.



Mini working light "HUPlight4"

- Rechargeable battery, lithium-ion ,1800 mAh 3.7 V
- LED 4 Watt
- Approximately 200 Lumen lighting performance
- Approximately 3 hours lighting performance
- Lamp may be charged using the micro USB port
- Stand may be angled
- Dual magnetic bracket
- Hook for securing and hanging
- Can be used and carried everywhere

LED 4W	120 x 60 x 25 mm	200 Lm	Lifetime 30000 h	Akku Li-Ion 1800 mAh 3,7 V
ABS	IP54	~ 100-240V AC = 12-24V DC	 	 

Art. no. 130336

LED 4 Watt









**Akku
Li-Ion**
1800 mAh
3,7 V



LED working light „HUPlight10+3“

- Integrated Li-Ion 3.7V / 6.7Ah battery
- 10 watt + 3 watt LED
- High-quality plastic housing
- For use inside and out, splashproof acc. to IP54
- Extremely bright illumination, 7000K colour temperature
- 220 Lm (3W LED) + 800 Lm (10W LED) luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time
 - 10W LED: - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
 - 3W LED: - Approx. 12 hours with 100% light output
 - Approx. 24 hours with 50% light output
- 3.5 hours charging time using power unit supplied
- Charger: 100 - 240 V AC plug-in power supply (5V/2A DC)
- 12V KFZ charging cable
- Adjustable magnetic stand
- With hook for hanging
- With belt clip

LED 10+3 W	220 x 57 x 40 mm	800 + 220 Lm	Lifetime 30000 h	Akku Li-Ion 6700 mAh 3,7 V	~ 100-240V AC = 12-24V DC
IP54		 		 	7000K

Art. no. 130348

LED 10 W + LED 3 W



**Akku
Li-Ion**
6700 mAh
3,7 V

360° View




haupa

... convincing solutions

LED Headlight „HUPflash155“

- 3 W COB LED
- Material: ABS, PC
- Luminosity 155 Lm
- Colour reproduction 90 CRI
- Battery-powered (3 x AAA included in the scope of delivery)
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special sensor technology
- Easy to operate e.g. when wearing protective gloves
- Headband with silicone strips for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm, weight: 49 g (without batteries)




Art. no. 130319

TL: 60 x 45 x 38 mm



LED Headlight „HUPflash155+“

- 3.7 V 1200 mAh lithium polymer battery
- 3 W COB LED
- Material: ABS, PC
- Light intensity 155 Lm
- Colour reproduction 90 CRI
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Charging cable (micro USB) included in the scope of delivery
- Charging time approx. 4 hours
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special sensor technology
- Easy to operate e.g. when wearing protective gloves
- Headband with silicone strips for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm
- Weight: 73 g



Art. no. 130321

TL: 60 x 45 x 38 mm



haupa.com

Germany: HAUPA GmbH & Co. KG, Lange Straße 40, D-42857 Remscheid, Phone: +49 2191 8418-0, Fax: +49 2191 8418-840, E-mail: sales@haupa.com. Prices upon request. Errors and technical changes reserved.

LED head lamp „HUPflash250“

- Li-Ion battery 18650 3.7 V 2000 mAh
- Can be used as a headlamp or a torch
- CREE XML2 LED
- Light intensity 250 Lm
- Colour reproduction 90 CRI
- 3 different light intensity levels + flash + SOS mode
- Stable housing, made of aluminium, copper and stainless steel
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Charging time approx. 4 hours
- With pocket clip for attachment to bags and belts
- Headband with silicone strips for secure fastening to work helmets
- Magnetic stand
- Charging cable (micro USB) included in the scope of delivery
- Dimensions: 28 x 107 mm
- Weight: 149 g

Art. no. 130323

TL: 28 x 107 mm

Akku
Li-Ion
2000 mAh
3,7V



CREE XML2	28 x 107 mm	250 Lm	Lifetime 30000 h	Akku Li-Ion 2000 mAh 3,7V	kg 149 g
2,5h	AI		micro USB	CRI 90	50 % 100 %

haupa®

... convincing solutions

Compact floodlight „HUPlight10pro“

- Integrated Li-Ion 3.7V / 4.4Ah battery
- 10 watt LED
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 900 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- Approx. 4.75 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (5 V/1A DC)
- 12V KFZ charging cable • Adjustable stand

LED 10W	170 x 121 x 43 mm	900 Lm	Lifetime 30000 h	Akku Li-Ion 4400 mAh 3,7 V	~ 100-240V AC = 12-24V DC
IP54	USB	Car	3h	CRI 90	50% 100%
					6500K

Art. no. 130344

LED 10 Watt



Compact floodlight „HUPlight20pro“

- Integrated Li-Ion 7.4V / 4.4Ah battery
- 20 watt LED
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 1800 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 – 240 V AC plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable • Adjustable stand

LED 20W	185 x 135 x 43 mm	1800 Lm	Lifetime 30000 h	Akku Li-Ion 4400 mAh 7,4 V	~ 100-240V AC = 12-24V DC
IP54	USB	Car	3h	CRI 90	50% 100%
					6500K

Art. no. 130346

LED 20 Watt



haupa.com

Germany: HAUPA GmbH & Co. KG, Lange Straße 40, D-42857 Remscheid, Phone: +49 2191 8418-0, Fax: +49 2191 8418-840, E-mail: sales@haupa.com. Prices upon request. Errors and technical changes reserved.

LED floor lamp „HUPlight30pro“ 30 Watt

- Integrated Li-Ion 7.4V / 5.2Ah battery • 30 watt LED
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 2500 Lm luminosity • Colour rendering 90 CRI
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 - 240 V AC | plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable • Adjustable stand


LED 30W	185 x 135 x 43 mm	2500 Lm	Lifetime 30000 h	Akku Li-Ion 5200 mAh 7,4 V	100 - 240 V AC = 12-24 V DC
IP54	USB	Car	3h	CRI 90	50% 100%
					6500K

Art. no. 130352

LED 30 Watt



Akku Li-Ion
5200 mAh
7,4 V



HUPlightpro
Crashtest



Magnet holder for HUPlightR

- Holder for affixing working lamps
- Suitable for Item Nos. 130344, 130346, 130352
- extra strong magnet for flexible mounting



Art. no. 130343

8,5 x 8,5 x 4 cm




haupa

... convincing solutions


Domed luminaire „HUPlight50combi“

- integrated Li-Ion 7.4 V / 6.6 Ah battery
- **50 watt LED**
- extremely resistant housing made of highly impact-resistant plastic
- for indoor and outdoor use, protected against splashing water according to IP54
- Extremely bright illumination, colour temperature 6500 K
- Brightness 4000 Lm
- Colour rendering 90 CRI
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 2 hours with 100% light output
 - Approx. 4 hours with 50% light output
- Charging time approx 2.5 hours
- 2x earthed sockets: 220 – 240 V~AC | Max: 3000 W
- Charging/power source of external / other devices
- Cable: 5 Metre H07RN-F 3G1.5mm²
- Hook for mounting and hanging up
- Carrying handle
- Dimensions: Ø 280 x 260 mm



Art. no. 130360

LED 50 Watt




Stand for „HUPlight50combi“

- Dimensions: 115 x 115 x 300 cm
- Adjustable height maximum 3 m
- Weight: ca. 3,5 kg



Art. no. 130361

Tripod, height 3 m



haupa.com


Germany: HAUPA GmbH & Co. KG, Lange Straße 40, D-42857 Remscheid, Phone: +49 2191 8418-0, Fax: +49 2191 8418-840, E-mail: sales@haupa.com.
Prices upon request. Errors and technical changes reserved.





LED light strip „HUPlightStripe15“

- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 180 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 15 m + connecting cable 2,5 m
- Can be extended up to 50 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 19500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum:
W 286 mm x D 210 mm x H 338 mm




Art. no. 130364

15 m



LED light strip „HUPlightStripe25“

- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 300 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 25 m + connecting cable 2,5 m
- Can be extended up to 50 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 32500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum:
W 317 mm x D 250 mm x H 385 mm



Art. no. 130366

25 m



haupa

... convincing solutions



Your wholesaler:

(Company stamp)



HAUPA-Gruppe
www.haupa.com

haupa®

... convincing solutions

Germany: HAUPA GmbH & Co. KG, Lange Straße 40, 42857 Remscheid, Phone: +49 2191 8418-0, Fax: +49 2191 8418-840, E-mail: sales@haupa.com.
Prices upon request. Errors and technical changes reserved.