## R

**NEW PRODUCTS** 

2024

**Cable Cutters** 

Cases

Locks

**LED Work Lamps** 





in proven quality with an even larger cutting range

The new battery-hydraulic cable cutter "AS6-S65" cuts copper and aluminium cables (except ACSR and SWA cables) with a diameter of up to 65 mm.

The special feature of the cable cutter "AS6-S65" (Art. no. 216423-1) by HAUPA is the large cutting range of up to 65 mm. The durable design with perfect, force-saving centre of gravity and the light weight of 4.5 kg make this tool ideal for big tasks.

The high-performance cable cutter can be positioned reliably on the cable even in tight spaces. One battery charge of the 2 Ah battery supplied in the set allows up to 50 cutting processes depending on the cable.

The forwards and reverse button with a safety lever allows the cutting process to be controlled at any time, thereby ensuring safe working.





haupa.com







## **Battery-hydraulic cable cutter** "AS6-S65"

- For copper and aluminium cables, multi-wire
- Diameter 65 mm

### **Product includes:**

1 cutting tool, 1 charger, 1 battery 18 V Li-lon, 2 Ah, 1 carry strap loop, in a system case

- · Precise cut with little conductor deformation
- · Cutting force kN: 60
- Work pressure in bar: 700
- Cutting width Ø: 65
- Cutting head rotates 180°
- Battery charge time in minutes: 30
- Battery type: Li-lon, 18 V, 2 Ah
- For battery Art. no. 215523 and charger Art. no. 215527
- Compatible with MAKITA 18 V charging equipment
- · LED lamp for illuminating work area



Art. no. 216423-1

in a system case

With battery and charger,





700













Art. no. 216423-1-N **Device only** 



## Cut with ease













## Battery-hydraulic cable cutter "AS6-S32ACSR"

- · Diameter 32 mm
- For ACSR cables Ø 32 mm
- · Not suitable for Cu/Al cables

## **Product includes:**

1 cutting tool, 1 charger, 1 battery 18 V Li-lon, 2 Ah,

1 carry strap loop, in a system case

- Precise cut with little conductor deformation
- Cutting force kN: 60
- Work pressure in bar: 700
- Cutting width Ø: 32
- Cutting head rotates 180°
- Battery charge time in minutes: 30
- Battery type: Li-Ion, 18 V, 2 Ah
- For battery Art. no. 215523 and charger Art. no. 215527
- compatible with MAKITA 18 V charging equipment

Art. no. 216426-1-N

**Device only** 

• LED lamp for illuminating work area





Art. no. 216426-1-NO

Without accessories

Art. no. 216426-1

in a system case

With battery and charger,



## All-in-one solution











## Cutting head "U-KS6-S32ACSR"

- Diameter 32 mm
- For ACSR cables Ø 32 mm
- Not suitable for Cu/Al cables
- suitable for HAUPA interchangeable head system Art. no. 216760-1











Art. no. 216761



Art. no. 216763



Art. no. 216762



Art. no. 216764



Art. no. 216665-U



Art. no. 216666-U

## **HUPsolarKit3**

5-piece set in convenient plastic case

**Content:** 

211225 Cable cutter VDE "HUPtriCut" | 160 mm for Ø 8 mm 201060 Cable stripper "HUPstripPV" | Solar 2.5 - 6.0 mm<sup>2</sup>

110806 Assembly tool for MC4 (2 units)

211659 Crimping plier Photovoltaic | Roll-crimp (for MC4) 2.5 - 6 mm<sup>2</sup>

330046/K PV plastic case, black with print

The case's empty space is perfect for storing photovoltaic accessories.

Not included in the set!

## Art. no. 330046

340 x 275 x 70 mm



Art. no. 330048

340 x 275 x 70 mm

## **HUPsolarKit4**

5-piece set in convenient plastic case

Content:

Cable cutter VDE "HUPtriCut" | 160 mm for Ø 8 mm 211225 201060 Cable stripper "HUPstripPV" | Solar 2.5 - 6.0 mm<sup>2</sup>

110806 Assembly tool for MC4 (2 units)

HUPcompact "HC06" for MC4 plugs 4 - 10 mm<sup>2</sup> 213110

330048/K PV plastic case, black with print

The case's empty space is perfect for storing photovoltaic accessories.

Not included in the set!







haupa.com







## **HUPcompact "HC06" for MC4 connectors** (Multi Contact)



Art. no. 213110

For MC4 | 4 - 10 mm<sup>2</sup>

Tool frame made of hardened steel, crimp segments made of high quality carbon steel, eroded, heat treated, polished and nickel plated

- High crimping forces easy to achieve
- Simple one-hand operation
- With unlockable positive ratchet
- 100% parallel feed
- Precision crimp
- · Crimping force: 5 kN
- Small, compact design
- Service life: 50,000 crimps
- Roll-crimp (for MC4) 4 / 6 / 10 mm<sup>2</sup>

100 % parallel



LONG LIFE 50000 X



For MC4: 4/6/10 mm<sup>2</sup>





# Practical and handy













## Tool backpack "HUPtoGo1"

Work on the go with the new HAUPA tool backpack "HUPtoGo1"

· Velcro pad on front pocket can be embroidered for personalisation

- 41 compartments, including 6 outer pockets (3 neoprene)
- 4 internal zip pockets
- Front neoprene pockets (e.g. level, long chisel)
- · Practical detachable knee pad
- High, waterproof base for moisture protection
- · Reflective strips on front
- 2 metal fixing lugs on sides
- Ergonomically padded, adjustable shoulder straps
- · Padded back and carrying handle
- · Highly tip resistant, even when open
- Material: extremely strong 1680D polyester
- · Colour: black with grey seams
- Tool backpack 220249

With professional equipment 220830 ideal for quick use, thanks to HAUPA professional tools.

### **Content:**

- VDE cable cutter 160 mm\*
- VDE long chain nose pliers DIN ISO 5745\*
- VDE combination pliers 200 mm\*
- VDE side cutters 160 mm\*
- VDE cable stripping knife, straight blade 50 mm
- LED mini working light "HUPlight4" | 4 Watt
- Voltage tester "Profi LEDplus II" 6 1,000 V
- Universal switch cabinet key "HUPkey"
- Wire stripper Super Plus 0.2 6 mm²
- VDE pliers wrench 280 mm
- VDE screwdriver set HUPslimPlus
- Socket set 1/4", 33-parts
- Fitter's hammer 500 g
- Electrician's chisel 10 x 250 mm
- Stone chisel, flat oval 32 x 300 mm
- Flexi PUK saw
- Set X-CrimpPlus
- Switch cabinet level 200 mm
- Measuring tape 5 m
- Deep hole marker, 2-in-1, black, with sharpener







cutting force performance



31 pcs., 400 x 450 x 260 mm



reduced











## Tool backpack "HUPtoGo2"

Work on the go with the new HAUPA tool backpack "HUPtoGo2"

- · Velcro pad on front pocket can be embroidered for personalisation
- 41 compartments, including 6 outer pockets (3 neoprene)
- · 4 internal zip pockets
- Front neoprene pockets (e.g. level, long chisel)
- · Practical detachable knee pad
- High, waterproof base for moisture protection
- · Reflective strips on front
- 2 metal fixing lugs on sides
- Ergonomically padded, adjustable shoulder straps
- · Padded back and carrying handle
- Highly tip resistant, even when open
- Material: extremely strong 1680D polyester
- · Colour: black with grey seams
- Tool backpack 220249

### Content:

- VDE long chain nose pliers, curved, 200 mm\*
- VDE combination pliers 180 mm\*
- VDE side cutters 160 mm\*
- VDE screwdriver set HUPslim PH
- Utility knife "HUPblackSeries18"
- Blades "HUPblades18"
- · LED torch "Pen Torch"
- Wire stripper "Basic" 0.5 6 mm<sup>2</sup>
- Basic cable stripper 8 28 mm with hook blade
- Test Pen Profi 12 1000 V
- Fitter's hammer 500 g
- Electrician's chisel 10 x 250 mm
- · PUK saw with fixed handle
- Carpenter's pencil, black, Mine 7B, triangular, 240 mm
- · Measuring tape 3 m



Art. no. 220831

21 pcs., 400 x 450 x 260 mm









perfected cutting force



haupa


## A lot of room for tools











## Art. no. 220820 **Tool trolley "HUPtransporter"** 539 x 359 x 225 mm Roomy and organised - the HAUPA tool trolley "HUPtransporter" provides a lot of space for tools With an additional tool tray, the tool trolley "HUPtransporter" offers an PPsafe\*\*\*\* enormous amount of space for tool storage. The boards are clearly arranged, allowing easy access to tools at all times. Stable pockets and loops ensure that each tool reliably stays in its assigned spot, unless it is needed. · Extremely sturdy case: polypropylene (PP) housing · With gas pressure springs • Fit for flight: automatic air-pressure release valve Stackable · Dust-proof Protected against water splashes • Temperature stable from -30°C to +80°C · Ergonomic two-component handle · Eyelets for padlock · Aluminium divider system Foam insert optional · Colour: black With owner label 7,55 kg Easy closure Ergonomic handle Clip system

Owner label option

Automatic pressure

release valve

Aluminium divider

system

## **Tool trolley "HUPtransporter Pro"**

## Roomy and organised - the HAUPA tool trolley "HUPtransporter Pro" provides a lot of space for tools

Extremely sturdy case: polypropylene (PP) housing, with gas pressure springs, fit for flight: automatic air pressure release valve, stackable, dust-proof, protected against water splashes, temperature stable from -30°C to +80°C, ergonomic two-component handle, eyelets for padlock, aluminium divider system, foam insert optional, colour: black, with owner label, tool trolley "HUPtransporter" 220820

### **Content:**

• Wire stripper 0.2 - 6 mm<sup>2</sup> • Crimping pliers insulated cable lugs 0.5 - 6 mm<sup>2</sup>

perfected cutting force

an muint

- VDE electrician's scissors, stainless steel, 160 mm, 70 mm<sup>2</sup>
- VDE long chain nose pliers, curved, 200 mm\*
- VDE cable cutter 160 mm\*
   VDE side cutters 160 mm\*
- VDE combination pliers 180 mm\*
   Switch cabinet key
- VDE cable stripping knife, hook blade, 50 mm
- Utility knife "HUPblackSeries18"
- Blades "HUPblades18"
- · Switch cabinet level 200 mm
- Cable stripper, hook blade 8 28 mm²
- Deep hole marker, 2-in-1, black, with sharpener
- Electronic ESD side cutter, without cutting-facet, 115 mm
- · Hexagon angle screwdriver set, with spherical head, 9-pcs, 1.5 - 10 mm, extra long
- · PUK saw with fixed handle
- Uni stripper 0.2 4 mm<sup>2</sup>
- VDE screwdriver HUPslim PZ/FL 1 + 2
- VDE screwdriver **HUPslim** PZ 1 + 2
- VDE screwdriver HUPslim PH 1 + 2
- VDE electrician's screwdriver HUPslim  $3.5 \times 0.6 \times 100$ ,  $4 \times 0.8 \times 100$  mm, 4 x 1 x 100 mm, 5.5 x 1 x 125 mm, 6.5 x 1.2 x 150 mm
- Electrician's chisel 10 x 250 mm
   Stone chisel, flat oval 32 x 300 mm
- Ratchet spanner 4-in-1, 8 x 10 + 12 x 13 mm
- Ratchet spanner 4-in-1, 10 x 13 + 17 x 19 mm
- · Crimping pliers for end sleeves 0.5 16 mm
- Single-hand cable cutters max. Ø 34 mm
- VDE water pump pliers 240 mm
- VDE heavy duty diagonal cutter 200 mm
   VDE pliers wrench 280 mm
- Measuring tape 5 m
   Measuring stick 1 m
- · Light metal level 400 mm
- LED torch "Pen Torch"
   Crimping pliers 0.75 16 mm
- Voltage tester "Profi LED Plus" 12 1000 V
- Ratchet screwdriver set "FlexBagPro"
   Fitter's hammer 500 g
- PU cut-protection glove, level 3, grey, size 10
- · Safety glasses











## Art. no. 220821

57 pcs., 539 x 359 x 225 mm



PPsafe\*\*\*\*





**Exclusively in the tool trolley** "HUPtransporter Pro"







haupa.com









## Keep everything in sight











## LED charging station "HUPlightWLcharger"

- Charges two devices simultaneously
- · Works with compatible mobile phones
- IK08 impact resistance
- · Strong magnets on back side enable easy mounting on magnetic surfaces and integrated screw holes for permanent mounting

## **Specifications:**

- · Material: ultra-hard nylon, aluminium, rubber, PC and TPE
- Power adapter: Input: 100 240 V~ 50/60 Hz, 0.8 A

Output: 5 V DC, 3.0 A 20 W max.

USB charging cable: USB-C to USB-C x 1 m

 When charging with the wireless pad: Charge time: approx. 3.0 - 8.0 hours depending on battery pack - the ambient temperature affects the charge and discharge time of the battery

Operating temperature: -5°C to +30°C

• Charging station dimensions: 265 x 110 x 29 mm

Net weight: 330 g (not including packaging)

## **Content:**

· USB power adapter:

Input: 100 - 240 V~, 50/60 Hz, 0.8 A

Output: 20 W, 5 V DC 3.0 A

USB charging cable: USB-C to USB-C x 1 m





















265 x 110 x 29 mm









## LED work lamp "HUPlightWL1000"

- · Supports wireless charging (charging station "HUPlightWLcharger" Art. 130376)
- Colour reproduction 90 CRI
- Super bright 1,000 lumens COB-LED
- · Super bright spot LED with 300 lumens
- · Stand with magnetic base rotates 160 degrees
- · Battery status and charging indicators
- Protection class IP65
- IK08 impact resistance

## **Specifications:**

- Main LED: 10 W COB 1,000 LM; Spot LED: 3 W 300 LM
- · Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 240 V~, 50/60 Hz, 0.8 A Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 2 hours (charging station "HUPlightWLcharger" approx. 3.5 hours)
- Operating time: 3 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 72 x 40 x 92 mm
- Net weight: 210 g (not including packaging)

### **Content:**

• USB charging cable: USB-C to USB-C x 1 m























Art. no. 130374

72 x 40 x 92 mm











## LED work lamp "HUPlightWL900"

- Supports wireless charging (charging station "HUPlightWLcharger" Art. 130376)
- Colour reproduction 90 CRI
- Super bright 900 lumens COB-LED
- Head rotates 180 degrees
- Focus function, beam angle 20° to 110°
- · Luminous range: max. 200 m
- · With strong magnetic base
- · Battery status and charging indicators
- Protection class IP54
- IK08 impact resistance

## **Specifications:**

- LED: 10 W 900 LM
- · Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 240 V~, 50/60 Hz, 0.8 A
   Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 2 hours (charging station "HUPlightWLcharger" approx. 3.5 hours)
- Operating time: 3 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 47 x 48 x 192 mm
- Net weight: 270 g (not including packaging)

## **Content:**

• USB charging cable: USB-C to USB-C x 1 m







haupa

## LED inspection lamp "HUPlightWL1500"

 Supports wireless charging (charging station "HUPlightWLcharger" Art. 130376)

- Colour reproduction 90 CRI
- Super bright 1500 lumens COB-LED lamp
- Super bright spot LED with 300 lumens
- Integrated hook lamp/torch can be positioned in a wide range of angles
- Battery status and charging indicator
- · Powerful magnet on the back for hands-free work
- Protection class IP65
- IK08 impact resistance

## **Specifications:**

- LED: 15 W COB SUPERWHITE + 3 W LED
- Lumens: main light 15 W, 1,500 Lm; spot LED 3 W, 300 Lm
- Material: Ultra-robust nylon, aluminium, PC, rubber and TPE
- Battery Li-Ion 3.7 V/4400 mAh, rechargeable
- Power adapter: Input: 100 240 V~, 50/60 Hz, 0.8 A
   Output:PD 20 W, 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 3.5 hours (charging station "HUPlightWLcharger" approx. 6 hours)
- Operating time: 3.0 14.0 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 77 x 171 x 41 mm
- Net weight: 400 g (not including packaging)

## Content:

• USB charging cable: USB-C to USB-C x 1 m





















CRI 90



77 x 171 x 41 mm















## LED inspection lamp "HUPlight400"

- White SMD main LED with 400 Lumens on the front side
- Secondary rear 200 Lumens white SMD-LED
- Additional upper spot 120 Lumens white SMD-LED
- Extremely rugged design made of nylon and aluminium
- 200° vertically foldable head with super-strong magnetic base
- · Loop and hanging system for easy use
- Two strong magnets on the back of the lamp
- IK07 super rugged, impact resistant design
- · Large reflector SMD LED
- 5 V charging system for charging the battery
- Integrated USB-C charging port with protective cover
- 1 A direct USB-C charging 2 hours charging time
- 1 m USB-C charging cable included

## **Specifications:**

- Lithium 3.7 V, 800 mAh, rechargeable
- LED: Front side main 3 W, SMD LED 400 Lm, CRI 90 Back side 1.5 W, SMD LED 200 Lm, CRI 90 Spot 1 W, SMD LED, 120 Lm, CRI 90
- Ambient temperature: -10°C +45°C
- Operating time: 3 h to 6 h for main LED in front

6 h for rear LED 6 h for spot LED

- Dim switch for the front main LED: 100% 50%
- · Charging time: approx. 2.5 h
- Protection class: III
- · USB-C input for charging: 5 V, 1000 mA
- Lamp dimensions: 160 x 37 x 21 mm
- Net weight: 90 g (not including packaging)





Art. no. 130378

Length: 162 mm















## Better illuminated







haupa.com





## **LED Renovation Light "HUPlightEasy"**

The Renovation Light "HUPlightEasy" is the quick, affordable, and uncomplicated solution for illuminating construction sites, vacant apartments, storage rooms, etc.

- · Impact-resistant polycarbonate housing
- · Spring clips
- Lifespan 25,000 hours
- · Renovation light including built-in LED bulb with opal diffuser
- Emits neutral white light
- Beam angle of 160 degrees
- 14 cm connection cable, hanger, and spring clip for easy and fast installation without tools
- Lamp body made of impact-resistant polycarbonate and withstands fall heights of up to 2.5 m
- Suitable for use at temperatures from -20 to 45°C.

Note: Renovation light is NOT intended for installation in luminaries.

Content: 5 pieces







## LED flashlight, "HUPflash800"

- · Streamlined and compact design
- Strong magnets
- Versatile

Our mini flashlight, specially designed to meet your lighting needs, features three different modes: High mode 500 lumen, Low mode 100 lumen, and Top-LED mode for 150 lumen, as well as the Boost mode: Unleashes a powerful 800 lumen boost by pressing and holding the button (3s).

With its sleek, compact design, aluminium housing, and features such as a base and a clip magnet, it effortlessly adapts to your needs and is ideal for use in industrial and trade applications.

The reliable battery lasts approximately 1.5 hours, eliminating the need for frequent recharging or battery replacement.

Experience simplicity through one-button functionality and efficient charging, ensuring your mini flashlight is always ready for the next job.







97 x 30,5 x 21 mm













## LED flashlight, "HUPflash1000"

- Rechargeable
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cool white light that reaches up to 100 meters.

Waterproof (IPX7) and powered by a rechargeable lithium-ion battery via a supplied USB cable (USB-C). The battery is a standard commercial cell (18650) and can be easily replaced.






## LED flashlight, "HUPflash300"

- · Splashwater protected
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cold white light that reaches up to 100 meters.

The flashlight is splash-proof and powered by three AAA batteries (not included).





## LED construction site lamp "HUPlight5200hybrid"

- Compatible with 18 V battery systems from Bosch, Makita, Milwaukee, DeWalt, and CAS (Metabo), corresponding adapters included
- 230 V AC or 18 V DC operation with emergency light function
- Designed and certified for use on construction sites, both indoors and for temporary outdoor use

This versatile hybrid (230 V & battery) work light is specially designed for professional craftsmen, mechanics, and construction workers who are often on the go. It comes equipped with a battery holder suitable for 18 V batteries from **HAUPA**, **Makita**, **Dewalt**, **Milwaukee**, **Bosch**, **Metabo** (**CAS**).

The corresponding adapters are included, eliminating the need to purchase an additional battery system.

The work light is dimmable in two stages (50%, 25%), has a cool white colour temperature (5,000 K), and a colour rendering index of RA >90. The operating time ranges from 2.5 to 9 hours (based on an 18 V/5 AH battery), depending on the selected light output mode. The opal diffuser reduces glare from the 5,200 lumen strong light source and ensures homogeneous illumination of the workplace.

The housing and front diffuser are made of impact-resistant polycarbonate (IKO8). The light is dust and splashwater protected thanks to the sturdy battery cover (IP54).

This work light is equipped with technology that prevents overheating and deep discharge of the battery.

The batteries must be charged with the manufacturers' charging stations and are not included.

In addition to batteries, the work light can also be powered by the included 5 m long connection cable H07RN-F 3G 1.5 mm². This work light is equipped with a socket (max. 3000 W), allowing the connection of another light, power tool, or other device,

eliminating the need for additional extension cords.

Safety: In the event of a power outage, this work light automatically switches to battery operation within approximately 0.5 seconds,

ensuring you never sit in the dark and minimizing the risk of injuries and damage.

LED 40W DC meda 47W AC mode	389 x ← 342 x → 140mm	<b>⊕</b> 120°	kg 3550 g
5200 Lm	5000 K	-20°C - 45°C	Cable holder
IP54	Ufetime 50000 h	BGI K2	DIM 100A 599A 25N
>IK08	CRI 90	Outper GV 2A Pewer bank	00 reads 14 to 21 VD0 2.25 A0 mode 224 2 40VAC 58/ 6042 22 5mA
Apmental lattery adopters haladed	1 x Socket 3000W max	H#789LF1.5HH#*	Class I
















## LED flashlight, "HUPflash120"

- · Compact pin form
- With magnetic holding clip
- Main and inspection light

Perfect for both industrial and trade applications. The rechargeable penlight has two light sources: at the head and on the side. The penlight comes with a USB-C charging cable.

Each penlight is equipped with a magnetic clip, allowing you to easily attach the lamp to any magnetic surface. The flexible use combined with the compact size makes this penlight very practical for professional use by mechanics, craftsmen, technicians, and others.





**Art. no. 130388**159 x 18 x 16 mm



haupa

## Count on safety









## Security lock | Shackle Ø 4.7 mm

## Zenex padlock

- · Locking system with differently locking locks
- Contents: 1 key (1 operator = 1 padlock = 1 key)
- Spark-free padlock suitable for use in explosive atmospheres
- Non-magnetic
- Body made of thermoplastic composite material resistant to corrosion, UV exposure, temperatures from -40°C to +90°C and chemicals
- Includes writeable labels with "Danger" / "Property of" in GB, FR, and SP

## Art. no. 120155

Ø 4,76 | 35 x 86 mm



## Security lock | Shackle Ø 6 mm

## Zenex padlock

- · Locking system with differently locking locks
- Contents: 1 key (1 operator = 1 padlock = 1 key)
- Key retention ensures that the lock doesn't unintentionally remain unlocked
- Spark-free padlock suitable for use in explosive atmospheres
- · Non-magnetic
- Body made of thermoplastic composite material resistant to corrosion, UV exposure, temperatures from -40°C to +90°C and chemicals
- Includes writeable labels with "Danger" / "Property of" in GB, FR, and SP

## Art. no. 120156

Ø 6 | 38 x 82 mm



## **Aluminium lockout hasp**

Safety lockout hasp, aluminium, clip with diameter 2.71 cm, red handle, for 6 padlocks with max. 6 mm shackle diameter

- · Safety lockout for an effective multi-person lockout
- In the event of maintenance/repair, the system remains inoperable until the last lock has been removed

## Art. no. 120157

Ø 6 | for 6 locks




## **Plastic lockout hasp**

Non-conductive nylon lockout hasp, dielectric protection, spark-free - for 6 padlocks with a maximum shackle diameter of 6 mm

- Safety lockout for an effective multi-person lockout
- In the event of maintenance/repair, the system remains inoperable until the last lock has been removed
- Suitable for use in potentially explosive atmospheres

Art. no. 120158

Ø 6 | for 6 locks



## Safety lockout for circuit breaker

## Universal lock for mini circuit breakers

- · Quick and easy installation, no tools necessary
- Padlock can be installed horizontally or vertically to suit all applications
- · Suitable for use in potentially explosive atmospheres



Ø6 | for 2 locks





## **Safety lockout for standard circuit breakers**

## **Designed for standard circuit breakers**

- · Effective lockout of circuit breakers
- · Durable construction with powder-coated, reinforced polymer for use in extreme environmental conditions
- · Suitable for use in potentially explosive atmospheres

Art. no. 120170

Ø 6 | for 1 lock















## Lockout device for 120 - 240 V plug

Cover for electrical plug connection, small - 120 to 240 V plug connections

- · Unique rotating design for easy handling
- Installation for applications in tight spaces
- Durable, lightweight, dielectric Zenex body is resistant to chemicals





## Lockout device for 16 - 32 A CEE plug

Cover for electrical plug connection, large - 240 and 550 V

- · Unique rotating design for easy handling
- · Installation for applications in tight spaces
- Durable, lightweight, dielectric Zenex body is resistant to chemicals

## Art. no. 120172

Art. no. 120171

120 - 240 V

240 and 550 V



## Adjustable multi-lock cable

Adjustable cable lockout (1.8 m) for various security lockout applications

- Adjustable cable length (braided steel cable 1.8 m x Ø 4 mm with plastic coating)
- Thermoplastic Zenex body is chemical resistant
- Flexible and easy insertion into various lockout points
- Integrated safety hasp for up to 4 padlocks with a max. shackle diameter of 6 mm
- · Ideal for multiple lockout situations
- Comes with reusable, writeable safety labels (GB, FR, SP)
- Suitable for use in potentially explosive atmospheres

## Art. no. 120173

Ø 6 | 1,8 m x Ø 4 mm







## **Security lockout set**

Set of lockout devices for electrical systems - Blister-pack - English

## **Content:**

- 2 keyed-alike Zenex padlocks
- · 2 mini circuit breaker lockouts
- 1 circuit breaker lockout for large circuit breakers
- 2 "Warning" tags/signs
- 1 plastic lockout hasp for four padlocks
- 1 compact red belt pouch



## "Do not operate" sign | English

**Lockout tags in English** 

(each bag contains 12 tags) Danger - Do not operate



**Lockout tags in German** 

(each bag contains 12 tags)

## "Do not operate" sign | Spanish

**Lockout tags in Spanish** 

(each bag contains 12 tags)



Art. no. 120176

146 x 80 mm





146 x 80 mm















## **HUPmobileWork folding workbench**

## **Back-friendly work with maximum work safety!**

Easy to transport with one hand - effortless to move thanks to wheels and pull rod, simple folding mechanism - quick to assemble.

### Safe stand!

The compact folding workbench "HUPmobileWork" offers the perfect balance of weight, mobility, stability, size and functionality. Ideal for use on construction sites, as well as space-saving and mobile.

- · Weight under 20 kg
- Work surface 785 x 585 mm and a 30 mm thick screen-printed plate
- Working height 800 825 mm thanks to four adjustable feet to compensate for uneven surfaces
- Load capacity up to 200 kg (surface load)
- Dimensions when folded 785 x 250 x 585 mm
- Two large plastic wheels and fold-out pull rod for easy transport when folded up
- Can be moved over the two wheels when assembled by tilting the workbench
- Table legs made of galvanized square tube are locked by a crossbar with a spring mechanism for a firm stand
- Screen-printed plate with anti-slip surface and framed in a T-profile steel frame
- Vice and other holding systems can be mounted





785 x 585 mm



Load capacity 200 kg











Your wholesaler:

HAUPA W3245NO - 1.000/EN\_oP



Company stamp:

