

Reversible ratchet 1000 V

3/8"

full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
220410	3/8"	200	0,300	1

Fittings for hexagon socket screws 1000 V

3/8"

3/8" square drive, made of chrome vanadium steel, forged, oil hardened, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
220434	4	3/8"	60,0	0,036	1
220436	5	3/8"	60,0	0,040	1
220438	6	3/8"	60,0	0,041	1
220440	8	3/8"	60,0	0,042	1

Socket T-wrench 1000 V

3/8"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
220412	3/8"	200	0,241	1

Extensions 1000 V

3/8"

with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
220414	3/8"	125	0,150	1
220416	3/8"	250	0,250	1

Hexagon sockets 1000 V

3/8"

3/8" square drive, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
220418	8	3/8"	44,5	0,027	1
220420	10	3/8"	44,5	0,027	1
220422	12	3/8"	44,5	0,029	1
220424	13	3/8"	44,5	0,032	1
220426	14	3/8"	44,5	0,035	1
220428	17	3/8"	44,5	0,047	1
220430	19	3/8"	46,0	0,051	1
220432	22	3/8"	46,0	0,063	1

Tool case 1000 V

3/8"

made of plastic, complete with 3/8" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

Contents:

- Reversible ratchet 200 mm, 3/8"
- T-slip-on-keys 200 mm, 3/8"
- Extension 150 and 250 mm, 3/8"
- Sockets 3/8", 8, 10, 12, 13, 14, 17, 19, 22 mm
- Dies for hexagon screws 3/8", 4, 5, 6, 8 mm



1000 V IEC 60900:2012

Video 220402



Art. no.	set	drive	kg	PU
220402	16-pieces	3/8"	2,500	1



haupa[®]

...convincing solutions

Germany: **HAUPA**, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

Reversible ratchet 1000 V

3/8"

full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
110331/EN	3/8"	190	0,402	1

Locked torque wrench 1000 V

3/8"

reversible ratchet system, fixed factory-provided valve, possible valve between 5-27 Nm, valve must be indicate before delivery, full insulated, 2-coloured coating-insulation - inside yellow/outside red. **Torque must be specified when ordering!**

1000 V IEC 60900:2012



Art. no.	drive	torque	TL	kg	PU
300310/EN	3/8"	5-27	280	0,951	1

Torque wrenches 1000 V

TQ 3/8"

reversible ratchet system, fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	drive	torque	TL	kg	PU
110055/EN	3/8"	5-25	200	0,350	1
110056/EN	3/8"	5-25	280	0,920	1
110065/EN	3/8"	5-50	370	1,194	1

Torque T key 1000 V

3/8"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	drive	torque	TL	kg	PU
110071	3/8"	12 Nm	150	0,540	1
110073	3/8"	18 Nm	150	0,540	1
110075	3/8"	25 Nm	150	0,540	1

Torque stoppers 1000 V

3/8"

with short extension, locable for all sockets with 3/8" drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	drive	torque	kg	PU
110456/EN	3/8"	-12	0,220	1
110457/EN	3/8"	-18	0,220	1
110458/EN	3/8"	-25	0,224	1

Socket T-wrench 1000 V

3/8"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900:2012



Art. no.	drive	BL	handle	kg	PU
110039/EN	3/8"	200	160	0,369	1

Extensions 1000 V

3/8"

with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
110337/EN	3/8"	125	0,292	1
110335/EN	3/8"	250	0,280	1

Extensions with bit adapter 1000 V

3/8"

full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	bit adapter	drive	TL	kg	PU
110861	1/4"	3/8"	125	0,137	1

Hexagon sockets 1000 V

3/8"

3/8" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
110363/EN	8	3/8"	40	0,035	1
110364/EN	9	3/8"	40	0,032	1
110365/EN	10	3/8"	40	0,036	1
110366/EN	11	3/8"	40	0,037	1
110367/EN	13	3/8"	40	0,032	1
110368/EN	17	3/8"	40	0,050	1
110369/EN	19	3/8"	40	0,060	1
110371/EN	14	3/8"	40	0,070	1
110700/EN	12	3/8"	40	0,070	1
110702/EN	22	3/8"	40	0,061	1

Hexagon sockets 1000 V, extra long



3/8" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
110710	10	3/8"	125	0,180	1
110712	12	3/8"	125	0,200	1
110713	13	3/8"	125	0,210	1
110714	14	3/8"	125	0,220	1
110715	17	3/8"	125	0,240	1
110716	19	3/8"	125	0,260	1
110717	22	3/8"	125	0,280	1

Fittings for hexagon socket screws 1000 V



3/8" square drive, 4 edge drive, made of chrome vanadium steel, forged, oil hardened, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
300302/EN	4	3/8"	65	0,068	1
300296/EN	5	3/8"	65	0,065	1
300298/EN	6	3/8"	65	0,068	1
300299/EN	8	3/8"	65	0,070	1
300305/EN	10	3/8"	65	0,082	1

Tool case 1000 V



made of plastic, complete with 3/8" tools. Dimension: 450 x 340 x 100 mm.

Contents:

- Reversible ratchet 3/8"
- Extension 125 mm, 3/8"
- Extension 250 mm, 3/8"
- T-slip-on-keys 3/8"
- Sockets 3/8" (10, 12, 13, 14, 17, 19, 22, 24 mm)
- Dies for hexagon screws 3/8", 5, 6, 8 mm
- Torque stopper (12 to 25 Nm)
- 2C-VDE screwdriver 3,5 x 100 mm

with locking system



1000 V IEC 60900:2012



Art. no.	set	drive	kg	PU
220147	17-pieces	3/8"	3,400	1

Tool case 1000 V



made of plastic, complete with 3/8" tools. Dimension: 400 x 290 x 110 mm.

Contents:

- Reversible ratchet 3/8"
- Extension 125 mm, 3/8"
- Extension 250 mm, 3/8"
- T-slip-on-keys 3/8"
- Sockets 3/8", 8, 10, 13, 17, 19 mm
- Dies for hexagon screws 3/8", 4, 5, 6, 8 mm

without locking system



1000 V IEC 60900:2012



Art. no.	set	drive	kg	PU
220212	13-pieces	3/8"	2,500	1

Tool case 1000 V



Plastic case with foam insert, with 3/8" insert tools. Dimensions: 400 x 290 x 110 mm.

Contents:

- 1 torque wrench 3/8" 5-50 Nm
- 2 extensions 3/8" 125/250 mm
- 5 inserts, extra deep in the sizes 10, 13, 14, 17, 19 mm
- 5 inserts for hexagonal screws 3/8" in 4, 5, 6, 8, 10 mm
- Alignment tool for sector-shaped conductors 3/8" in 95-150 mm



1000 V IEC 60900:2012



Art. no.	set	drive	kg	PU
110873	14-pieces	3/8"	3,870	1

