

Reversible ratchet 1000 V

1/4"

full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
220577	1/4"	150	0,145	1

Fittings for hexagon socket screws 1000 V

1/4"

1/4" square drive, made of chrome vanadium steel, forged, oil hardened, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
220591	3	1/4"	55	0,016	1
220592	4	1/4"	55	0,012	1
220593	5	1/4"	55	0,012	1
220594	6	1/4"	55	0,024	1

Socket T-wrench 1000 V

1/4"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
220578	1/4"	125	0,085	1

Extensions 1000 V

1/4"

with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
220579	1/4"	100	0,050	1
220580	1/4"	150	0,070	1

Hexagon sockets 1000 V

1/4"

1/4" square drive, full insulated, from shock-resistant plastic



1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
220581	5	1/4"	40	0,011	1
220582	6	1/4"	40	0,011	1
220583	7	1/4"	40	0,012	1
220584	8	1/4"	40	0,013	1
220585	9	1/4"	40	0,014	1
220586	10	1/4"	40	0,014	1
220587	11	1/4"	40	0,017	1
220588	12	1/4"	40	0,018	1
220589	13	1/4"	40	0,021	1
220590	14	1/4"	40	0,023	1

Tool case 1000 V

1/4"

made of plastic, complete with 1/4" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

Contents:

- Reversible ratchet 150 mm, 1/4"
- T-slip-on-keys 125 mm, 1/4"
- Extension 100 and 150 mm, 1/4"
- Sockets 1/4", 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- Dies for hexagon screws 1/4", 3, 4, 5, 6 mm



1000 V IEC 60900:2012

Video 220576



Art. no.	set	drive	kg	PU
220576	18-pieces	1/4"	1,250	1



haupa[®]

...convincing solutions

Germany: **HAUPA**, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

Reversible ratchet 1000 V

1/4"

full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
110810	1/4"	135	0,122	1

Torque wrench 1000 V

TQ 1/4"

reversible ratchet system, fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012

TQ



Art. no.	drive	torque	TL	kg	PU
110812	1/4"	2-12	200	0,250	1
110813	1/4"	5-25	200	0,420	1

Socket T-wrench 1000 V

1/4"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
110818	1/4"	115	0,156	1

Extensions 1000 V

1/4"

with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	drive	TL	kg	PU
110814	1/4"	75	0,043	1
110816	1/4"	125	0,054	1

Extension with bit adapter 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	bit adapter	drive	TL	kg	PU
110860	1/4"	1/4"	40	0,023	1

Hexagon sockets 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	WS	drive	TL	kg	PU
110820	5	1/4"	25	0,012	1
110822	6	1/4"	25	0,012	1
110824	7	1/4"	25	0,014	1
110826	8	1/4"	25	0,011	1
110828	9	1/4"	25	0,016	1
110830	10	1/4"	25	0,014	1
110832	11	1/4"	25	0,020	1
110834	12	1/4"	25	0,021	1
110836	13	1/4"	25	0,021	1
110838	14	1/4"	25	0,034	1

Inserts for hexagon socket screws 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	WS	drive	kg	PU
110840	3	1/4"	0,010	1
110842	4	1/4"	0,014	1
110844	5	1/4"	0,014	1
110846	6	1/4"	0,015	1
110848	8	1/4"	0,021	1

Handles with bit adapter 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900:2012



Art. no.	bit adapter	drive	TL	kg	PU
110864	1/4"	1/4"	120	0,160	1
110866	1/4"	1/4"	160	0,248	1
110868	1/4"	1/4"	250	0,310	1

Tool case for household connections 1000 V

1/4"

Plastic case with foam insert, with 1/4" insert tools.
Dimensions: 450 x 340 x 100 mm.

Contents:

- 1 torque wrench 1/4" 5 - 25 Nm
- 3 extensions 1/4" 75 - 100 - 150 mm
- 2 bit holders 1/4" DIN 3126/FORM C 6,3
- 5 inserts 1/4" 6, 8, 10, 13, 14
- 10 hexagonal bits 5, 6, 8
- Slots 4, 5.5, 6.5
- PZ/FL 1, 2
- PH 1, 2

1000 V IEC 60900:2012



Art. no.	set	drive	kg	PU
110869	21-pieces	1/4"	1,000	1

Tool case 1000 V

1/4"

Plastic case with foam insert, with 1/4" insert tools.
Dimensions: 450 x 340 x 100 mm.

Contents:

- 1 ratchet 1/4"
- 1 bit holder 1/4"
- 1 T-fitting 1/4"
- 4 extensions 1/4"
- 10 inserts 1/4", 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- 5 hexagonal inserts 1/4" 3, 4, 5, 6, 8

1000 V IEC 60900:2012



Art. no.	set	drive	kg	PU
110871	22-pieces	1/4"	1,600	1

